

Solventborne

UV Curable

High solids

Product name

LUXYDIR V-4000EA

Description

LUXYDIR V-4000EA is a solventborne urethane acrylate UV curable resin. LUXYDIR V-4000EA has excellent leveling and abrasion resistance. It is recommended for plastic coatings.

Applications

Home appliances and consumer electronics.
Automotive interior coatings.

Key features

Appearance.
Adhesion to plastic substrates.
Leveling.
Abrasion resistance.

Characteristics

	LUXYDIR V-4000EA
Appearance	Light yellow clear liquid
Solids content, weight %	83.0 - 87.0
Viscosity, Gardner 25°C	T - W
Color, Gardner	1 max.
Solvent	Ethyl acetate

Storage

Store in a cool, dry, well-ventilated place at temperatures below 25°C.

Safe handling note

Refer to SDS for LUXYDIR V-4000EA.
Please confirm with our sales representative regarding chemical regulatory status of intended countries.

210607

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.