

Powder

Product name
FINEPLUS AC 2790

Description

FINEPLUS AC 2790 is a powder glycidyl methacrylate (GMA) functional acrylic resin. FINEPLUS AC 2790 has excellent weather resistance. It is recommended as powder acrylic coating for various exterior and interior applications.

Applications

Architectural coatings.
Hardener for polyester powders.
Matting agent.
Exterior and interior coatings.

Key features

TGIC-free and E-caprolactam free systems.
Various gloss levels are possible with different formulating techniques.
Weather resistance.

Characteristics

	FINEPLUS AC 2790
Appearance	Pale clear granules
Solids content, weight %	99.7 min.
Color, Gardner 30% in Xylene	1 max.
Epoxy equivalent weight, g/eq	480 - 520
Melt index	5.0 - 14.0
Insoluble substances, mg/g	0.005 max.

Storage

Store in a cool, dry, well-ventilated place at temperatures below 25°C.

Safe handling note

Refer to SDS for FINEPLUS AC 2790.
Please confirm with our sales representative regarding chemical regulatory status of intended countries.

210603

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.