

TECHNICAL DATA SHEET



DIC PSAs
web page




0B44A1 E Color & Comfort

Removable Double Coated Adhesive Tape

DAITAC® #8100CH-2

Construction



Characteristics

- ✓ Equivalent adhesive performance as the proven "# 8800CH".
- ✓ Can be peeled off cleanly without the use of heat when recycling plastic and metal parts.
- ✓ Excellent reworkability and disassembly due to the use of tough non-woven fabric.
- ✓ Product does not intentionally use any of the 10 restricted substances under the RoHS Directive.

Applications

- ✓ For bonding recyclable electrical equipment

Properties

Test item	Condition	Substrate	Unit	#8100CH-2
Thickness	Except release liner	-	mm	0.1
180 deg. peel strength	23°C, 1hr	SUS (hairline)	N/20mm	12
		ABS	N/20mm	11.5
		PP	N/20mm	11
Static shear	40°C, 1kg	SUS (hairline)	mm/hr	< 1
Ball tack	Conform to JIS Z0237	-	No.	8
Static 90 deg. peel strength	23°C, 0.3kg/10mm	SUS (hairline)	mm/hr	9
Reworkability	60°C90%RH, 7days	SUS (hairline)	-	Excellent
		ABS	-	Excellent

Size 1,000mm in max width 50m in length

DIC Corp.

Composite Solutions BU

https://www.dic-global.com/en/products/adhesive_tapes/

Please note that the data provided in this catalog (the "Catalog") is offered for informational purposes only, and serves as an example of previously measured values and not guaranteed values. DIC Corporation ("DIC") does not and shall not guarantee suitability and compatibility of the Products and the materials that the buyer will incorporate the Products with. Please note that prior to any use of the products stated in the Catalog (the "Products"), it is the buyer's responsibility to confirm the suitability and compatibility of the Products and the materials that the buyer will incorporate the Products with. DIC may modify the specifications of the Products stated in the Catalog at any time and at DIC's sole discretion prior to any use of the products. DIC shall not be liable for any infringement on any third parties' intellectual property rights resulting from the Products' existence, sale, use, combination with any materials, or any other applications or the Products thereof. DIC is the owner of the copyright associated with this Catalog. Copying and/or reprinting this Catalog without obtaining prior permission in writing from DIC is strictly prohibited.