

TECHNICAL DATA SHEET



DIC PSAs
web page




0C05A2 E Color & Comfort

High Impact Resistance Double Coated Adhesive Tape

DAITAC® #8810SA-200S

Construction



Characteristics

- ✓ Excellent impact resistance
- ✓ Excellent workability and disassembly due to the use of tough non-woven fabric.
- ✓ Black version(#8810SA Black S) is also available for light shielding
- ✓ Product does not intentionally use any of the 10 restricted substances under the RoHS Directive.

Applications

- ✓ For use in mobile products such as smart phones, laptops, tablets, etc.
- ✓ Foam material used to prevent cracks on glass, LCD, etc.

Properties

Test item	Condition	Substrate	Unit	#8810SA-200S
Thickness	Except release liner	-	mm	0.2
180 deg. peel strength	Conform to JIS Z0237	SUS (hairline)	N/20mm	17
		HIPS	N/20mm	13
Push Out	DIC method	ABS/AC	N/4cm ²	80
Static shear	Conform to JIS Z0237	SUS (hairline)	mm/hr	< 2
Impact resistance	DIC method 300g	ABS	height[cm]	90

Size 1,200mm in max width 50m in length

DIC Corp.

Composite Solutions BU

https://www.dic-global.com/en/products/adhesive_tapes/

Please note that the data provided in this catalog (the "Catalog") is offered for informational purposes only, and serves as an example of previously measured values and not guaranteed values. DIC Corporation ("DIC") does not and shall not guarantee suitability and compatibility of the Products and the materials that the buyer will incorporate the Products with. Please note that prior to any use of the products stated in the Catalog (the "Products"), it is the buyer's responsibility to confirm the suitability and compatibility of the Products and the materials that the buyer will incorporate the Products with. DIC may modify the specifications of the Products stated in the Catalog at any time and at DIC's sole discretion prior to any use of the products. DIC shall not be liable for any infringement on any third parties' intellectual property rights resulting from the Products' existence, sale, use, combination with any materials, or any other applications or the Products thereof. DIC is the owner of the copyright associated with this Catalog. Copying and/or reprinting this Catalog without obtaining prior permission in writing from DIC is strictly prohibited.