

**Solventborne**

**Product name**  
**Idemide-200**

**Description**

Idemide-200 is a solventborne polyamide resin to use as crosslinker for epoxy resins. Idemide-200 has blushing resistance in humid climates. It is recommended for protective coatings.

**Applications**

Protective coatings.

**Key features**

Blushing resistance.

**Characteristics**

	<b>Idemide-200</b>
<b>Appearance</b>	Clear liquid
<b>Solids content, weight%</b>	50.0 - 54.0
<b>Viscosity, mPa s 30°C</b>	600 - 1200
<b>Color, Gardner</b>	10 max.
<b>Amine value on solids, mgKOH/g</b>	180.0 - 220.0
<b>Solvent</b>	Xylene, n-Butanol

**Storage**

Store in a cool, dry, and well-ventilated place as mentioned in SDS.

**Safe handling note**

Refer to SDS for Idemide-200.

Please confirm with our sales representative regarding chemical regulatory status of intended countries.

240219

All information on this data sheet is based on DIC Corporation laboratory tests and characteristics shown here are not sales specifications. Procedures and directions for use of DIC Corporation products are recommendations only, with no warranties expressed or implied. The user is solely responsible for determining suitability of DIC Corporation products for the particular application. DIC Corporation recommends consultation with its technical experts and trials before general or production use of any of its products. DIC Corporation products are provided subject to its standard terms and conditions. This data sheet supersedes all previous publications for the products described herein.